

SAFETY DATA SHEET (SDS)

in accordance with Regulation (EC) No 1907/2006 (REACH), Annex II — Regulation (EU) 2020/878

Date: 02.09.2026 | Version: 1 | EN

ethyl vinyl ether

ethenoxyethane

CAS 109-92-2

 C_4H_8O

EC 203-718-4

MOLAR MASS
72.11LOGP
1

HAZARD CLASSIFICATION (GHS / CLP)



Danger

H224

H336

Non-harmonised classification (no entry in Annex VI to CLP) — assigned from aggregated ECHA C&L notifications; the H-statements require verification against the official source (ECHA C&L / manufacturer's data sheet).

1. Identification of the substance/mixture and of the company/undertaking

1.1 Substance name	ethyl vinyl ether
1.1 IUPAC name	ethenoxyethane
1.1 CAS number	109-92-2
1.1 EC number	203-718-4
1.1 PubChem CID	8023
1.1 InChIKey	FJKIXWOMBXYWOQ-UHFFFAOYSA-N
1.1 SMILES	CCOC=C
1.1 Molecular formula	C_4H_8O ^[7]
1.1 Molar mass	72.11 g/mol ^[7]
1.1 Exact mass	72.0575 Da ^[7]

1.2 Uses

For laboratory and research purposes. Not for use in the production of food, medicines or cosmetics without appropriate authorisation.

1.3 Details of the supplier

REFERENCE COPY — NO
SUPPLIER DETAILS — NOT FOR
DISTRIBUTION

Supplier details are not included in this reference copy. The supplier placing the substance on the market must complete this section and remains responsible for the sheet under REACH. MolGod.org prepares documentation and is not the supplier of this substance.

1.4 Emergency telephone number

Emergency telephone 112 (EU-wide emergency number)

2. Hazards identification

GHS:  

PPE:    

Prohibitions: 

Danger

Hazard statements (H) ^{[3][4]}

H224	Extremely flammable liquid and vapour
H336	May cause drowsiness or dizziness

Precautionary statements (P) ^{[3][4]}

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P233	Keep container tightly closed
P240	Ground and bond container and receiving equipment
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing; Rinse skin with water or shower
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P370+P378	In case of fire: Use appropriate media to extinguish
P403+P235	Store in a well-ventilated place: Keep cool
P403+P233	Store in a well-ventilated place: Keep container tightly closed
P405	Store locked up
P501	Dispose of contents/container to an approved waste collection point

Non-harmonised classification (no entry in Annex VI to CLP) — assigned from aggregated ECHA C&L notifications; the H-statements require verification against the official source (ECHA C&L / manufacturer's data sheet).

3. Composition/information on ingredients

Substance type	pure substance
CAS Number	109-92-2
EC number	203-718-4
Molecular formula	C ₄ H ₈ O
Concentration	≥99% (typical reagent-grade purity — to be confirmed by the supplier's specification)

4. First aid measures



Inhalation

Move the affected person to fresh air. Keep at rest. If not breathing: artificial respiration (qualified personnel only). ^{[1][2][11]}

Skin contact

Remove contaminated clothing. Rinse skin with soap and water (min. 15 minutes). ^{[1][2][11]}

Eye contact

Rinse eyes with running water (min. 15 minutes). Remove contact lenses if possible. If irritation persists — consult an ophthalmologist. ^{[1][2][11]}

Ingestion

Do NOT induce vomiting (unless directed by a physician). Rinse mouth with water. Never give anything by mouth to an unconscious person. Poison Centre Łódź: +48 42 631 47 24 (24/7). Emergency number: 112. ^{[1][2][11]}

Symptoms and effects

cough, shortness of breath, headache, dizziness. ^[3]

Notes for physician

Requires verification

Emergency numbers: CIT Łódź: +48 42 631 47 24 (24/7) | Emergency: 112

5. Firefighting measures

Suitable extinguishing media	Alcohol-resistant foam, carbon dioxide (CO ₂), dry chemical powder, water spray/mist. ^{[1][2][11]}
Unsuitable extinguishing media	Full/compact water jet (splashes and spreads the burning liquid, which floats on water). ^{[1][2][11]}
Specific hazards	Thermal decomposition products: CO, CO ₂ . ^[12]
Advice for firefighters	Use self-contained breathing apparatus (SCBA). Full protective suit. ^{[1][2][11]}
Flash Point	-46°C ^[7]
Auto-ignition temperature	201.7°C ^[7]

6. Accidental release measures

Personal precautions	Use personal protective equipment (see Section 8). Avoid breathing vapours. ^{[1][2][11]}
Environmental precautions	Prevent entry into sewers, groundwater and surface water. ^{[1][2][11]}
Methods for containment and cleaning up	Contain the spill with a barrier. Absorb with inert material (sand, vermiculite, diatomaceous earth). Collect into sealed, labelled containers. Do not release into drains. Remove ignition sources; use non-sparking tools. ^{[1][2][11]}
Related sections	8; 13

7. Handling and storage

Precautions	Work in a fume hood or with adequate ventilation. No eating, drinking or smoking in the work area. ^{[1][2][11]}
-------------	--

Storage temperature	Store at room temperature (15-25°C) or as indicated on the label. ^{[1][2][11]}
Humidity	Store in a dry place (<60% RH). ^{[1][2][11]}
Light	Protect from direct sunlight. ^{[1][2][11]}
Incompatible materials	Strong oxidizers, Ignition sources, open flames. ^[12]

8. Exposure controls/personal protection

8.1 Control parameters

OEL — NDS (Poland)	No NDS (OEL) value in the available working list — verify in the current MRPiPS regulation before use; do not assume the absence of a limit value.
OEL (EU)	The EU OEL value has not been verified against the available dataset — check the IOELV/BOELV directives; do not assume the absence of a value.
DNEL	No data available.
PNEC	No data available.

8.2 Personal protective equipment (PPE) ^{[5][6][13]}

 Chemical-resistant protective gloves EN ISO 374-1:2016+A1:2018 nitrile (min. 0.11 mm)	 Closed safety spectacles or goggles EN ISO 16321-1:2022 / EN 166:2001	 Respiratory protection EN 14387:2004+A1:2008 type AX filter (low-boiling organic vapours)	 Closed safety footwear with toe protection EN ISO 20345:2022 (S2/S3)
---	---	---	---

9. Physical and chemical properties

Property (item 9.1)	Value	Source
Physical state	Liquid	
Colour	No data available.	
Odour	No data available.	
pH (1% aqueous solution)	No data available.	
Melting point	-115.8°C ^{[8] [7]}	
Boiling point	33.8846°C ^{[8] [7]}	
Flash point	-46°C (experimental data) ^[7]	
Flammability	Flam. Liq. 1 (H224) ^[3]	
Lower and upper explosion limit	No data available.	
Density (20°C)	0.7589 g/cm ³ ^[7]	
Vapour pressure	57.062 kPa (428 mmHg, 20°C) (experimental data) ^[7]	
Relative vapour density	2.49 ^[16]	
Kinematic viscosity	No data available.	
Refractive index n_D²⁰	1.3767 (experimental data) ^[7]	
Auto-ignition temperature	201.7°C (experimental data) ^[7]	
Decomposition temperature	Not applicable	

Property (item 9.1)	Value	Source
Rozpuszcz. w wodzie	7.8 g/L, 25°C ^[7]	
Particle characteristics	Not applicable (REACH 9.1(r))	
Partition coefficient n-octanol/water (log value)	1 ^[9]	
Molar mass	72.11 g/mol ^[7]	
Molecular formula	C ₄ H ₈ O ^[7]	
Lipinski rule (R05)	PASS	

Where a property above reads "No data available", no measured value was found in the public sources consulted for this substance. The property has not been determined by MolGod.org and no value is inferred. "Not applicable" means the property has no meaning for this substance in the form supplied.

10. Stability and reactivity

Reactivity	Stable under normal storage and handling conditions.
Chemical stability	Thermally stable under recommended conditions.
Hazardous reactions	No hazardous reactions known under normal conditions.
Conditions to avoid	High temperatures, direct sunlight, moisture.
Incompatible materials	Strong oxidizers, Ignition sources, open flames.
Decomposition products	Thermal decomposition products: CO, CO ₂ .

11. Toxicological information

LD50 (oral)	LD50 6153 mg/kg (rat, oral) ^[7]
LD50 (dermal)	LD50 >15000 mg/kg (rabbit) ^[7]
LC50 (inhalation)	LC50 >21200 mg/m ³ (4 h) (rat) ^[7]
Skin irritation	No data available.
Eye irritation	No data available.
Sensitisation	No data available.
Mutagenicity	No data available.
Carcinogenicity	No data available.
IARC classification (carcinogenicity)	No individual IARC monograph for this CAS — this is not confirmation of the absence of carcinogenicity (cf. CLP/GHS classification in section 2).
Reproductive toxicity	No data available.
STOT — single exposure	Category 3 (H336): May cause drowsiness or dizziness. ^[3]
STOT — repeated exposure	No data available.
Aspiration hazard	No data available.

12. Ecological information

Aquatic toxicity	No data available.
Persistence / biodegradability	No data available.
Bioaccumulative potential	log Kow = 1 ^[9] . Low bioaccumulation potential (log Kow < 4.5 — PBT/vPvB screening criterion per ECHA Guidance R.11). ^{[14][15]}
Mobility in soil	No data available.
PBT/vPvB assessment	Insufficient data to assess PBT/vPvB.
Endocrine disrupting properties	No information.

13. Disposal considerations

Disposal method	Hand over for disposal to licensed contractors in accordance with national and local regulations. Do not discharge into sewers.
Waste code (EWC)	16 05 06* — Laboratory and analytical chemicals (np. chemical reagents) zawierające substancje niebezpieczne. EWC code verification required. ^[10]
Packaging	Cleaned packaging may be recycled. Contaminated packaging must be treated as hazardous waste.

14. Transport information



Class 3 — Flammable liquids

UN number	UN 1302 ^[7]
Transport hazard class	Suggested from GHS classification — VERIFICATION REQUIRED.
Environmental hazard	Environmental hazard for transport: not verified. Non-harmonised classification (outside CLP Annex VI) — verify aquatic toxicity (Section 12) and do NOT assume marine pollutant marking is not required; confirm per ADR 2.2.9 / IMDG before shipping.
Special precautions	Handle as dangerous goods according to the assigned class (ADR/IMDG/IATA); apply the precautions appropriate to that class.
CN/HS code	CN/HS code: verification required in the Eurostat Combined Nomenclature.
Notes	UN number per the indicated source. Verify the transport class and packing group in ADR Table A / UN Model Regulations before shipment. ^[7]

15. Regulatory information

SVHC status	SVHC status not verified against the available dataset — check the current ECHA Candidate List; do not assume absence. ^[1]
REACH Annex XIV	Not verified against the ECHA Authorisation List — check REACH Annex XIV. ^[1]
REACH Annex XVII	Not confirmed in the available Annex XVII dataset — verify against the current ECHA list before placing on the market; do not assume absence of restriction. ^[1]

16. Other information

Legal status of classification: supplier self-classification under Art. 4(3) CLP — no harmonised entry in Annex VI. Entries with an entry-into-force date after 02.09.2026 were omitted as future (not yet applicable).

Data aggregated automatically from public reference databases (PubChem, ECHA, NIST and others).

Scientific citations (10)

Lei Wang, Maofa Ge, Weigang Wang. Kinetic study of the reactions of chlorine atoms with ethyl vinyl ether and propyl vinyl ether. Chemical Physics Letters (2009). DOI: 10.1016/j.cplett.2009.03.047

Dandan Han, Haijie Cao, Yanhui Sun et al.. Mechanistic and kinetic study on the ozonolysis of ethyl vinyl ether and propyl vinyl ether. Structural Chemistry (2011). DOI: 10.1007/s11224-011-9899-4

Y.J. Chung, J.M. Rooney, D.R. Squire et al.. Kinetic studies of the free cationic polymerization of ethyl vinyl ether and isobutyl vinyl ether initiated by triphenylmethyl hexachloroantimonate. Polymer (1975). DOI: 10.1016/0032-3861(75)90012-9

Avaneesh Balasubramanian, Gopalakrishnan Sai Gautam. Extending the Pnictide Chemical Space for Photovoltaics. arXiv (2608.30402v1) (2026).

Biman Bagchi. From Freezing to Terminal Packing: A Puzzle and a Paradox. arXiv (2608.29676v1) (2026).

Full text of H statements

H224 Extremely flammable liquid and vapour

H336 May cause drowsiness or dizziness

Full text of P statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 Keep container tightly closed

P240 Ground and bond container and receiving equipment

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P271 Use only outdoors or in a well-ventilated area

P280 Wear protective gloves/protective clothing/eye protection/face protection

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing; Rinse skin with water or shower

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P370+P378 In case of fire: Use appropriate media to extinguish

P403+P235 Store in a well-ventilated place: Keep cool

P403+P233 Store in a well-ventilated place: Keep container tightly closed

P405 Store locked up

P501 Dispose of contents/container to an approved waste collection point

Abbreviations

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (Reg. (EC) 1272/2008)

CMR Carcinogenic, Mutagenic, toxic to Reproduction

DNEL Derived No-Effect Level

EC European Community number

EPI Personal protective equipment

GHS Globally Harmonized System

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods Code

SDS Safety Data Sheet

LC50 Lethal Concentration, 50%

LD50 Lethal Dose, 50%

NDS Maximum admissible concentration (workplace, PL)

NDSch Short-term exposure limit (PL)

OEL Occupational Exposure Limit

PBT Persistent, Bioaccumulative and Toxic

PNEC Predicted No-Effect Concentration

REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Reg. (EC) 1907/2006)
STOT	Specific Target Organ Toxicity
SVHC	Substance of Very High Concern
TPSA	Topological Polar Surface Area
vPvB	very Persistent and very Bioaccumulative

Version history

v1 (02.09.2026)	Based on supplier self-classification (ECHA C&L notifications; no harmonised entry in Annex VI).
------------------------	--

References

- [1] EP and Council. Reg.(EC) No 1907/2006 (REACH). Art.31, Annex II. OJ EU L 396/2006. URL: <https://eur-lex.europa.eu/eli/reg/2006/1907/oj> Accessed: 2026-09-02.
- [2] European Commission. Reg.(EU) 2020/878 — amending Annex II REACH. OJ EU L 203/2020. From 01.01.2023. URL: <https://eur-lex.europa.eu/eli/reg/2020/878/oj> Accessed: 2026-09-02.
- [3] EP and Council. Reg.(EC) 1272/2008 (CLP) + ATP 23. OJ EU L 353/2008. (2026-07-07) URL: <https://eur-lex.europa.eu/eli/reg/2008/1272/oj> Accessed: 2026-09-02.
- [4] United Nations. GHS Rev.9. ST/SG/AC.10/30/Rev.9. New York and Geneva: United Nations, 2021. URL: <https://unece.org/transport/dangerous-goods/ghs-rev9-2021> Accessed: 2026-09-02.
- [5] ISO. ISO 7010:2019 — Graphical symbols. Safety signs. URL: <https://www.iso.org/standard/72424.html> Accessed: 2026-09-02.
- [6] ISO. ISO 3864-1:2011 — Safety colours and safety signs. URL: <https://www.iso.org/standard/51021.html> Accessed: 2026-09-02.
- [7] PubChem. National Center for Biotechnology Information (NIH/NLM), chemical compound database. URL: <https://pubchem.ncbi.nlm.nih.gov/compound/8023>
- [8] NIST. Chemistry WebBook, SRD 69. National Institute of Standards and Technology. URL: <https://webbook.nist.gov/cgi/cbook.cgi?ID=109-92-2>
- [9] Rumble, J.R., ed. CRC Handbook of Chemistry and Physics. 105th ed. Boca Raton: CRC Press, 2024. URL: <https://hbcpc.chemnetbase.com>
- [10] European Commission. Decision 2000/532/EC establishing a list of wastes (European Waste Catalogue). OJ EU L 226/3. URL: <https://eur-lex.europa.eu/eli/dec/2000/532/oj>
- [11] European Chemicals Agency (ECHA). Guidance on the Compilation of Safety Data Sheets. Version 4.0. Helsinki: European Chemicals Agency, 2020. URL: https://echa.europa.eu/documents/10162/2324906/sds_en.pdf
- [12] Urban, P.G., ed. Bretherick's Handbook of Reactive Chemical Hazards. 8th ed. Oxford: Academic Press.
- [13] CEN. Personal protective equipment standards (EN ISO 374-1, EN 166, EN 149, EN 14387, EN ISO 20345). Brussels: European Committee for Standardization.
- [14] ECHA. Guidance on Information Requirements and Chemical Safety Assessment, Chapter R.11: PBT/vPvB Assessment. Helsinki: European Chemicals Agency. URL: <https://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment>
- [15] European Parliament and Council. Regulation (EC) No 1907/2006 (REACH), Annex XIII — Criteria for the identification of PBT and vPvB substances. OJ EU L 396/2006 (consolidated). URL: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:02006R1907-20140410>
- [16] MOL-GOD. Value obtained by calculation from the molecular formula/molecular weight (the specific quantity and its formula are indicated at the respective field). Calculated value, not an experimental measurement. URL: <https://www.nist.gov/pml/atomic-weights-and-isotopic-compositions-relative-atomic-masses>
- [17] MRIPS Regulation of 12.06.2018 — NDS/NDN. Journal of Laws 2024 item 1017. URL: <https://isap.sejm.gov.pl/isap.nsf/DocDetails.xsp?id=WDU20240001017> Accessed: 2026-09-02.

External links

NIST: <https://webbook.nist.gov/cgi/cbook.cgi?ID=109-92-2>
 Wikidata: <https://www.wikidata.org/wiki/Q1371500>
 ChEMBL: https://www.ebi.ac.uk/chembl/compound_report_card/CHEMBL116745

NFPA 704 (supplementary information — NFPA/USA system; not a required element of an EU safety data sheet under REACH Annex II)



Legal notice: This document was generated automatically from data provided by PubChem (NIH), ECHA, NIST WebBook, ChemSpider (RSC), Wikidata and other public databases. It DOES NOT REPLACE an approved Safety Data Sheet (SDS) compliant with Regulation (EC) No 1907/2006 (REACH). Before using the substance, verify the data against the manufacturer's current SDS.

Generator: Document generated automatically from supplier self-classification (ECHA C&L notifications) and public physicochemical databases.

Author: www.MolGod.org — platform for automated safety data sheets (SDS).

Issue date: 02.09.2026 | Document version: 1